HUNTER VALLEY OPERATIONS

Environment Protection Licence 640 Monitoring Data - July 2020

Published 14 September 2020

Note: Originally published on 05 August 2020, revised to include inadvertently missed blast monitoring result

Name of Operation	Hunter Valley Operations
Environment Protection Licence	640
Licensee	HV Operations Pty Ltd
Premises	Hunter Valley Operations Lemington Road, Singleton NSW 2330 Australia
EPL Link	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLic ence.aspx?DOCID=168611&SYSUID=1&LICID=640

1 INTRODUCTION

This report has been compiled to provide a summary of environmental monitoring results for Hunter Valley Operations in accordance with Environment Protection Licence 640. This report includes all monitoring data collected in accordance with the aforementioned Licence for the period 1 July – 31 July 2020.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge; and
- Blast monitoring.

Monitoring locations are shown in Figure 1.

2 AIR QUALITY

In accordance with the requirements of Condition M2.2 (EPL 640), Hunter Valley Operations maintains a network of five PM₁₀ monitors. The following monitoring locations (EPA Monitoring Points 13, 14, 15, 16 and 17) are listed on the licence for the purpose of monitoring:

- EPA Identification Number 13 Howick
- EPA Identification Number 14 HC1
- EPA Identification Number 15 Wandewoi
- EPA Identification Number 16 Knodlers
- EPA Identification Number 17 Golden Highway

Results of Particulates (PM₁₀) monitoring (EPA Monitoring Points 13, 14, 15, 16 and 17) are shown in Table 1. Results reported represent the 24hr average PM₁₀, derived from 10 minute average PM₁₀ values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31 July 2020; the data was obtained on the 1st August 2020.

From 30 May 2020, the existing HC1 monitoring location was disconnected from its permanent power supply due to mine progression which placed the monitor and substation within blasting exclusion zones. In consultation with the EPA, HVO has temporarily relocated this monitoring location as shown on Figure 1. Monitoring at this location is also using an alternate method (PM₁₀ ESampler) as an interim measure, with a similar monitor installation at the upwind Howick monitoring location for comparative purposes.

Table 1: Particulate Matter <10µm Monitoring

Date	Unit of Measure	Monitoring Frequency &			Monitoring Point		
		Capture	Howick	HC1*	Wandewoi	Knodlers	Golden Highway
1/07/2020	µg/m³		22.1	18.3	9.3	21.8	24.8
2/07/2020	µg/m³		24.6	14.5	14.4	34.3	21.0
3/07/2020	µg/m³		13.8	13.1	5.6	22.1	16.5
4/07/2020	µg/m³		10.6	7.3	3.4	12.6	9.4
5/07/2020	µg/m³		8.4	7.5	6.6	15.5	12.3
6/07/2020	µg/m³		24.1	25.8	13.4	17.6	28.7
7/07/2020	µg/m³		42.5	44.9	18.8	22.3	41.0
8/07/2020	µg/m³		23.1	18.6	14.8	10.0	18.6
9/07/2020	µg/m³		31.4	38.0	18.1	4.7	27.3
10/07/2020	µg/m³	Continuous	26.6	37.3	12.7	13.1	31.7
11/07/2020	µg/m³		8.6	17.9	6.2	11.9	15.3
12/07/2020	µg/m³		6.2	6.2	5.0	10.4	10.8
13/07/2020	µg/m³		6.0	6.7	1.9	13.1	7.9
14/07/2020	µg/m³		9.8	6.6	4.9	9.7	22.3
15/07/2020	µg/m³		8.2	7.2	2.6	13.6	36.8
16/07/2020	µg/m³		14.7	7.3	4.6	14.4	31.6
17/07/2020	µg/m³		25.6	11.3	9.6	15.8	47.1
18/07/2020	µg/m³		26.0	16.0	19.2	16.0	36.8
19/07/2020	µg/m³		18.7	18.9	5.4	30.0	15.5
20/07/2020	µg/m³		15.9	9.3	3.2	26.6	19.6

Date	Unit of Measure	Monitoring Frequency &					
Euto		Capture	Howick	HC1*	Wandewoi	Knodlers	Golden Highway
21/07/2020	µg/m³		28.8	24.5	26.9	22.7	30.9
22/07/2020	µg/m³		31.3	51.5	16.8	27.9	43.1
23/07/2020	µg/m³		37.6	25.3	16.2	21.7	25.5
24/07/2020	µg/m³		29.4	44.3	16.3	21.4	34.4
25/07/2020	µg/m³		20.4	34.0	14.2	12.4	17.1
26/07/2020	µg/m³		3.8	6.0	2.4	4.3	6.6
27/07/2020	µg/m³		3.9	0.6	2.7	5.0	3.5
28/07/2020	µg/m³		4.4	0.9	4.2	6.5	4.3
29/07/2020	µg/m³		9.3	9.5	6.6	7.7	7.7
30/07/2020	µg/m³		17.3	17.1	7.9	12.4	16.7
31/07/2020	µg/m³		34.9	45.4	22.4	22.3	30.4
			Μ	onthly Meaningful Data			
	µg/m³	Minimum	3.8	0.6	1.9	4.3	3.5
July	µg/m³	Mean	19.0	19.1	10.2	16.1	22.4
July	µg/m³	Maximum	42.5	51.5	26.9	34.3	47.1
	µg/m³	Median	18.7	16.0	7.9	14.4	21.0

#24 hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

* Data from 30 May 2020 at HC1 was recorded using an ESampler at the "HVS" monitoring location shown on Figure 1.

3 SURFACE WATER

3.1 Mine Water Discharge Monitoring

HVO participates in the Hunter River Salinity Trading Scheme (HRSTS), and maintains six monitoring locations associated with this scheme (EPA Monitoring Points 3, 4, 5, 6, 7 and 8, Condition M2.3) as follows:

- EPA Identification Number 3 Discharge Pipe from Dam 11N
- EPA Identification Number 4 Discharge end of outlet pipe on Parnell's Dam
- EPA Identification Number 5 At the discharge end of the alluvial lands discharge pipeline
- EPA Identification Number 6 In Farrell's Creek within 100m, and upstream of the confluence of flow from POINT 3
- EPA Identification Number 7 In Farrell's Creek within 100m, and downstream of the confluence of flow from POINT 3
- EPA Identification Number 8 Outlet of discharge pipe from Lake James storage dam

The location of these sampling points can be viewed in Figure 1.

Hunter Valley Operations had an opportunity to discharge from the 28th to 31st July, but ultimately did not discharge. As such, no samples were collected at Monitoring Points 3, 4, 5, 6, 7 and 8 during the reporting period (shown in Table 2 below).

Table 2: Mine Water Discharge Monitoring

Discharge Point	Date	Pollutant	unit of measure	Licence Limits	No. of samples required by licence	No. of samples you collected and analysed
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Dam 11N Discharge / EPL Point 3	N/A	рН	рН	6.5 - 9.5	0	0
		Total Suspended Solids	milligramsperlitre	Licence Limitsrequired by licencesiemens per centimetre-0pH6.5 - 9.50nilligrams per litre1200siemens per centimetre-0pH6.5 - 9.50nilligrams per litre1200siemens per centimetre4000pH-0nilligrams per litre4000pH-0nilligrams per centimetre-0pH-0nilligrams per litre-0siemens per centimetre-0pH-0nilligrams per litre-0pH-0pH-0nilligrams per litre-0pH-0nilligrams per litre-0pH-0pH-0pH-0nilligrams per litre-0pH-0pH-0pH-0pH-0nilligrams per litre-0pH-0nilligrams per litre-0	0	
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Parnell's Dam Discharge / EPL Point 4	N/A	рН	рН	6.5 - 9.5	0	0
1 01114		Total Suspended Solids	milligramsperlitre	120	0	0
	N/A	Electrical Conductivity	microsiemens per centimetre	400	0	0
Alluvial Lands Discharge/EPL Point5		рН	рН	-	0	0
101113		Total Suspended Solids	milligramsperlitre	-	0	0
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Farrell's Creek Upstream / EPL Point 6	N/A	рН	рН	-	0	0
		Total Suspended Solids	pH6.5 - 9.5d Solidsmilligrams per litre120uctivitymicrosiemens per centimetre-pH6.5 - 9.5-d Solidsmilligrams per litre120uctivitymicrosiemens per centimetre400pHd Solidsmilligrams per litre-uctivitymicrosiemens per centimetre-d Solidsmilligrams per litre-uctivitymicrosiemens per centimetre-pHd Solidsmilligrams per litre-pHpHd Solidsmilligrams per litre-uctivitymicrosiemens per centimetre-pH6.5 - 9.5-pH6.5 - 9.5-	0	0	
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Farrell's Creek Downstream / EPL Point 7	N/A	рН	рН	-	0	0
Point /		Total Suspended Solids	milligramsperlitre	-	0	0
		Electrical Conductivity	microsiemens per centimetre	-	0	0
Lake James Discharge / EPL Point	N/A	рН	рН	6.5 - 9.5	0	0
U U		Total Suspended Solids	milligrams per litre	120	0	0

4 BLAST MONITORING

In accordance with the requirements of Condition M8.1, Hunter Valley Operations maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at HVO. The following monitoring locations (EPA Monitoring Points 9, 11, 12 and 18) are listed on the Licence for the purpose of assessing compliance with the airblast overpressure and ground vibration criteria as follows:

- EPA Identification Number 9 Jerrys Plains
- EPA Identification Number 18 Moses Crossing
- EPA Identification Number 11 Warkworth
- EPA Identification Number 12 Maison Dieu

The location of these monitors can be found in Figure 1. The last date sampled was the 25th July 2020. The data was obtained on the 4th August 2020. Blast ID RW31BFP01B on 20/07 was inadvertently missed from the original version of this report.

Blast monitoring results are detailed in Table 3 (Airblast Overpressure) and Table 4 (Ground Vibration).

Table 3: Blast Monitoring (Airblast Overpressure)

				EPL L	imits		Monito	ring Point	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth
P123BR503A	1/07/2020 13:17	dB(L)		115	120	92.3	105.8	107.7	109.0
WS4909801A	3/07/2020 13:31	dB(L)		115	120	90.2	106.6	113.4	103.3
P20802001A	4/07/2020 13:08	dB(L)		115	120	90.1	89.7	100.6	96.8
WN49BAY01A	7/07/2020 13:06	dB(L)		115	120	95.5	99.3	93.0	93.3
P123BR504A	8/07/2020 12:59	dB(L)		115	120	93.9	95.6	99.0	99.8
RW31BFP01A, RW32WHP02A, RW34WHA03A	10/07/2020 12:54	dB(L)		115	120	93.5	87.6	91.8	101.8
WN45LAP01A	11/07/2020 13:34	dB(L)	All Blasts	115	120	87.7	92.7	91.2	89.5
WN49BAY03A	11/07/2020 13:35	dB(L)	100%	115	120	93.4	87.2	102.6	98.7
P206VA102A	11/07/2020 14:40	dB(L)		115	120	86.8	87.8	97.3	97.4
P123BR301A	13/07/2020 14:01	dB(L)		115	120	94.2	90.1	103.1	104.1
P207PF403A	13/07/2020 14:03	dB(L)		115	120	104.0	92.2	106.5	101.5
WN45LAP01B	17/07/2020 13:01	dB(L)		115	120	93.6	77.9	95.0	96.0
WN45UAA01A	18/07/2020 12:56	dB(L)	ľ	115	120	91.4	95.3	92.6	87.4
RW31BFP01B	20/07/2020 12:57	dB(L)		115	120	103.4	101.6	108.2	102.7
P124BF403A	21/07/2020 12:57	dB(L)		115	120	92.7	98.7	94.8	95.7

HVO EPL Monitoring Data July 2020

Blast ID				EPL L	imits		Monitoring Point			
	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth	
P207PF404A	22/07/2020 13:03	dB(L)		115	120	78.9	76.0	88.8	89.1	
WN45UAA05A	23/07/2020 13:00	dB(L)		115	120	89.4	92.1	95.2	93.1	
RW36SUMP1A	24/07/2020 12:58	dB(L)		115	120	96.2	98.2	89.9	89.5	
P205BR601A	25/07/2020 12:00	dB(L)		115	120	92.3	94.3	103.3	92.4	
				Monthly Meaning	gful Data					
	July	dB(L)	Minimum	115	120	78.9	76.0	88.8	87.4	
		dB(L)	Mean	115	120	92.6	93.1	98.6	96.9	
		dB(L)	Maximum	115	120	104.0	106.6	113.4	109.0	
		dB(L)	Median	115	120	92.7	92.7	97.3	96.8	

Table 4: Blast Monitoring (Ground Vibration)

				EPL L	imits		Monito	ring Point	
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth
P123BR503A	1/07/2020 13:17	mm/s		5	10	0.27	0.14	0.46	0.69
WS4909801A	3/07/2020 13:31	mm/s		5	10	0.18	0.1	0.25	0.13
P20802001A	4/07/2020 13:08	mm/s		5	10	0.14	0.06	0.55	0.53
WN49BAY01A	7/07/2020 13:06	mm/s		5	10	0.21	0.11	0.23	0.09
P123BR504A	8/07/2020 12:59	mm/s		5	10	0.23	0.11	0.34	0.66
RW31BFP01A, RW32WHP02A, RW34WHA03A	10/07/2020 12:54	mm/s		5	10	0.31	0.09	0.24	0.8
WN45LAP01A	11/07/2020 13:34	mm/s	All Blasts	5	10	0.12	0.06	0.07	0.16
WN49BAY03A	11/07/2020 13:35	mm/s	100%	5	10	0.13	0.07	0.08	0.18
P206VA102A	11/07/2020 14:40	mm/s		5	10	0.11	0.03	0.14	0.63
P123BR301A	13/07/2020 14:01	mm/s		5	10	0.14	0.05	0.09	0.23
P207PF403A	13/07/2020 14:03	mm/s		5	10	0.12	0.04	0.06	1.05
WN45LAP01B	17/07/2020 13:01	mm/s		5	10	0.13	0.06	0.07	0.26
WN45UAA01A	18/07/2020 12:56	mm/s		5	10	0.17	0.13	0.13	0.13
RW31BFP01B	20/07/2020 12:57	mm/s		5	10	0.24	0.08	0.08	0.19
P124BF403A	21/07/2020 12:57	mm/s		5	10	0.17	0.08	0.14	0.95

				EPL L	imits				
Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth
P207PF404A	22/07/2020 13:03	mm/s		5	10	0.11	0.04	0.07	0.11
WN45UAA05A	23/07/2020 13:00	mm/s		5	10	0.25	0.2	0.14	0.66
RW36SUMP1A	24/07/2020 12:58	mm/s		5	10	0.13	0.05	0.05	0.37
P205BR601A	25/07/2020 12:00	mm/s		5	10	0.23	0.13	1.17	0.97
				Monthly Meaning	gful Data				
		mm/s	Minimum	5	10	0.11	0.03	0.05	0.09
	July	mm/s	Mean	5	10	0.18	0.09	0.23	0.46
		mm/s	Maximum	5	10	0.31	0.20	1.17	1.05
		mm/s	Median	5	10	0.17	0.08	0.14	0.37




Figure 1 : Hunter Valley Operations Environmental Monitoring Locations