

**HUNTER VALLEY**  
OPERATIONS

**ENVIRONMENT  
PROTECTION LICENCE 640  
MONITORING DATA -  
NOVEMBER 2023**

**DOCUMENT NUMBER**

HVOOC-1797567310-4847

**STATUS**

Approved

**VERSION**

1.0

**EFFECTIVE**

09/01/2024

**REVIEW**

[Planned Review Date]

**OWNER**

Superintendent - Environment and Community



1 | Overview ..... 3

2 | Definitions..... 3

3 | Air Quality ..... 5

4 | Surface Water Monitoring Data ..... 7

5 | Blast Monitoring Data ..... 8

6 | Sewage Treatment Plant Monitoring Data..... 12

7 | Noise Monitoring Data ..... 13



## 1 | OVERVIEW

**Environmental Protection Licence Number:** 640  
**Licence Holder:** HV Operations Pty Ltd (HVO)  
**Address of Premises:** Hunter Valley Operations, Lemington Road, Singleton, NSW, 2330  
**Licence Holder Postal Address:** PO Box 315, Singleton, NSW, 2330  
**EPA Public Register Link:** <https://apps.epa.nsw.gov.au/prpoeoapp/Detail.aspx?instid=640&id=640&option=licence&searchrange=licence&range=POEO%20licence&prp=no&status=Issued>

The locations of each sampling or monitoring point number identified in EPL 640 are displayed in Figure 1.

## 2 | DEFINITIONS

Abbreviation	Explanation
DNR	Data Not Received
mm/s	Millimetres per Second
dB	Decibels
g/m <sup>2</sup> /month	Grams per Metre Square per Month
µg/m <sup>3</sup>	Micrograms per Cubic Meter of Air
µS/cm	Microsiemens per Centimetre
pH	A measure of the acidity or alkalinity of a solution
mg/L	Milligrams per Litre
NTU	Nephelometric Turbidity Units
ML/day	Megalitres per Day (1ML = 1,000,000L)
KL/day	Kilolitres per Day
PM10	Particulate Matter of 10 Microns in diameter or smaller
HVAS	High Volume Air Sampler
TEOM	Tapered Element Oscillating Microbalance
TSP	Total Suspended Particles
TSS	Total Suspended Solids
t	tonnes
YTD	Year To Date - rolling 12 month average




Figure 1: EPL 640 Monitoring Location

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

## 3 | AIR QUALITY

**Date Last Sampled:** 30/11/2023

**Date Obtained:** 20/12/2023

Table 1 - Particulate Matter Monitoring (<10µm)

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			EPL ID 13 (Howick)	EPL ID 15 (Wandewoi)	EPL ID 16 (Knodlers Lane)	EPL ID 17 (Golden Highway)	EPL ID 44 (West Pit)
1/11/2023	µg/m <sup>3</sup>	Continuous	35.9	27.0	21.7	22.0	27.3
2/11/2023	µg/m <sup>3</sup>		28.9	22.1	19.9	20.8	21.4
3/11/2023	µg/m <sup>3</sup>		32.2	18.0	17.1	21.4	21.4
4/11/2023	µg/m <sup>3</sup>		36.8	21.6	19.1	22.7	25.5
5/11/2023	µg/m <sup>3</sup>		26.6	14.1	10.4	11.1	17.7
6/11/2023	µg/m <sup>3</sup>		27.0	18.6	11.2	15.4	15.8
7/11/2023	µg/m <sup>3</sup>		30.7	21.9	12.5	19.7	52.0
8/11/2023	µg/m <sup>3</sup>		22.6	23.0	25.1	33.0	69.1
9/11/2023	µg/m <sup>3</sup>		17.9	26.7	20.1	30.9	64.9
10/11/2023	µg/m <sup>3</sup>		22.4	18.7	18.1	26.2	35.9
11/11/2023	µg/m <sup>3</sup>		21.4	21.6	22.4	30.9	47.7
12/11/2023	µg/m <sup>3</sup>		40.3	25.8	59.5	39.7	90.6
13/11/2023	µg/m <sup>3</sup>		37.2	30.8	37.4	25.7	31.8
14/11/2023	µg/m <sup>3</sup>		40.8	30.9	41.2	38.7	61.9
15/11/2023	µg/m <sup>3</sup>		35.2	27.0	43.2	36.1	46.4

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

Page 5 of 13

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed

16/11/2023	µg/m <sup>3</sup>		33.7	22.5	27.6	30.3	37.9
17/11/2023	µg/m <sup>3</sup>		21.7	14.5	16.3	21.9	20.3
18/11/2023	µg/m <sup>3</sup>		25.1	17.2	15.9	15.6	26.4
19/11/2023	µg/m <sup>3</sup>		35.1	33.1	26.7	27.4	60.6
20/11/2023	µg/m <sup>3</sup>		26.7	21.6	21.4	19.0	43.7
21/11/2023	µg/m <sup>3</sup>		21.2	23.5	19.4	27.0	40.4
22/11/2023	µg/m <sup>3</sup>		28.5	18.9	19.8	19.8	21.2
23/11/2023	µg/m <sup>3</sup>		29.4	19.8	21.1	20.5	18.7
24/11/2023	µg/m <sup>3</sup>		-	9.4	13.2	14.4	24.5
25/11/2023	µg/m <sup>3</sup>		-	5.0	6.4	8.0	13.8
26/11/2023	µg/m <sup>3</sup>		-	5.8	18.8	13.3	28.7
27/11/2023	µg/m <sup>3</sup>		-	15.7	23.4	24.2	40.8
28/11/2023	µg/m <sup>3</sup>		20.9	16.7	18.0	18.7	27.7
29/11/2023	µg/m <sup>3</sup>		15.9	14.7	10.7	15.9	30.1
30/11/2023	µg/m <sup>3</sup>		10.3	7.7	26.6	14.2	32.1
<b>Monthly Meaningful Data</b>							
<b>November</b>	µg/m <sup>3</sup>	<b>Minimum</b>	10.3	5.0	6.4	8.0	13.8
	µg/m <sup>3</sup>	<b>Mean</b>	27.9	19.8	22.1	22.8	36.5
	µg/m <sup>3</sup>	<b>Maximum</b>	40.8	33.1	59.5	39.7	90.6
	µg/m <sup>3</sup>	<b>Median</b>	27.8	20.7	19.9	21.7	30.9

\* Less than 75% 24-hour data capture

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

Page 6 of 13

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed

## 4 | SURFACE WATER MONITORING DATA

No discharges under the HRSTS occurred during November.

*Table 2 - HRSTS Discharge Monitoring*

Discharge Point	Pollutant	Unit of Measure	Licence Limits	No. Samples Required by Licence	No. Samples Collected and Analysed
EPL ID 3 (Dam 11N)	pH	pH	6.5-9.5	0	0
	Total Suspended Solids	Milligrams per Litre	120	0	0
EPL ID 4 (Dam 9W)	pH	pH	6.5-9.5	0	0
	Total Suspended Solids	Milligrams per Litre	120	0	0
EPL ID 8 (Dam 15S)	pH	pH	6.5-9.5	0	0
	Total Suspended Solids	Milligrams per Litre	120	0	0

## 5 | BLAST MONITORING DATA

**Date Last Sampled:** 24/11/2023

**Date Obtained:** 5/01/2024

*Table 3 – Blast Monitoring (Air Blast Overpressure)*

Blast ID	Date & Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing EPL ID 18	Jerrys Plains EPL ID 9	Maison Dieu EPL ID 21	Warkworth EPL ID 11
M1T713001A	1/11/2023 12:58	dB(L)	All blasts 100%	115	120	95.74	97.01	97.53	89.67
WS49LED03A_WS49LDP02A	2/11/2023 13:16	dB(L)		115	120	96.01	85.00	83.07	79.96
M1T713001B	3/11/2023 8:46	dB(L)		115	120	84.35	95.18	89.87	82.52
P210WK209A	3/11/2023 13:04	dB(L)		115	120	91.77	89.35	100.01	105.00
P209PF303A	4/11/2023 13:08	dB(L)		115	120	100.07	99.14	93.23	88.30
P210W6P02A	6/11/2023 13:01	dB(L)		115	120	88.61	87.60	84.51	93.51

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

Page 8 of 13

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed



# REPORT | ENVIRONMENT PROTECTION LICENCE 640 MONITORING DATA - NOVEMBER 2023

Blast ID	Date & Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing EPL ID 18	Jerrys Plains EPL ID 9	Maison Dieu EPL ID 21	Warkworth EPL ID 11
P210WK604A	10/11/2023 12:15	dB(L)	All Blasts 100%	115	120	98.14	106.97	107.18	100.65
P208BAY04A	13/11/2023 10:06	dB(L)		115	120	97.96	104.28	99.79	105.68
WS49LED03B	13/11/2023 13:06	dB(L)		115	120	102.91	99.54	98.80	83.16
P125WK506A	15/11/2023 12:55	dB(L)		115	120	93.10	103.54	107.94	99.17
P209PF402A	16/11/2023 13:22	dB(L)		115	120	99.74	109.63	108.63	98.77
P210WK605A	18/11/2023 13:01	dB(L)		115	120	99.12	86.56	93.30	94.10
P209PF303B	20/11/2023 13:10	dB(L)		115	120	84.41	77.65	88.16	89.01
P209B5P01A	21/11/2023 10:10	dB(L)		115	120	87.66	86.92	86.18	90.27
WN49MPG01A	21/11/2023 13:13	dB(L)		115	120	88.78	89.95	93.26	95.32

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

**Page 9 of 13**

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed

# REPORT | ENVIRONMENT PROTECTION LICENCE 640 MONITORING DATA - NOVEMBER 2023

Blast ID	Date & Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing EPL ID 18	Jerrys Plains EPL ID 9	Maison Dieu EPL ID 21	Warkworth EPL ID 11
M1T111003A	24/11/2023 13:11	dB(L)		115	120	97.76	104.27	98.80	91.95
<b>Monthly Meaningful Data</b>									
<b>November</b>		dB(L)	Minimum	115	120	84.35	77.65	83.07	79.96
		dB(L)	Mean	115	120	94.13	95.16	95.64	92.94
		dB(L)	Maximum	115	120	102.91	109.63	108.63	105.68
		dB(L)	Median	115	120	95.88	96.10	95.42	92.73

*Table 4 – Blast Monitoring (Ground Vibration)*

Blast ID	Date & Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing EPL ID 18	Jerrys Plains EPL ID 9	Maison Dieu EPL ID 21	Warkworth EPL ID 11
M1T713001A	1/11/2023 12:58	mm/s	All Blasts 100%	5	10	0.15	0.42	0.07	0.34
WS49LED03A_WS49LDP02A	2/11/2023 13:16	mm/s		5	10	0.18	0.15	0.18	0.11
M1T713001B	3/11/2023 8:46	mm/s		5	10	0.10	0.32	0.04	0.07
P210WK209A	3/11/2023 13:04	mm/s		5	10	0.11	0.04	0.06	0.34
P209PF303A	4/11/2023 13:08	mm/s		5	10	0.09	0.03	0.06	0.10

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

Page 10 of 13

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed



# REPORT | ENVIRONMENT PROTECTION LICENCE 640 MONITORING DATA - NOVEMBER 2023

Blast ID	Date & Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point				
				95% of Blasts	100% of Blasts	Moses Crossing EPL ID 18	Jerrys Plains EPL ID 9	Maison Dieu EPL ID 21	Warkworth EPL ID 11	
P210W6P02A	6/11/2023 13:01	mm/s		5	10	0.13	0.07	0.14	0.32	
P210WK604A	10/11/2023 12:15	mm/s		5	10	0.17	0.09	0.44	1.50	
P208BAY04A	13/11/2023 10:06	mm/s		5	10	0.08	0.02	0.04	0.04	
WS49LED03B	13/11/2023 13:06	mm/s		5	10	0.17	0.15	0.22	0.11	
P125WK506A	15/11/2023 12:55	mm/s		5	10	0.10	0.04	0.07	0.22	
P209PF402A	16/11/2023 13:22	mm/s		5	10	0.09	0.04	0.07	0.10	
P210WK605A	18/11/2023 13:01	mm/s		5	10	0.13	0.07	0.23	0.53	
P209PF303B	20/11/2023 13:10	mm/s		5	10	0.09	0.02	0.03	0.22	
P209B5P01A	21/11/2023 10:10	mm/s		5	10	0.10	0.03	0.15	0.18	
WN49MPG01A	21/11/2023 13:13	mm/s		5	10	0.09	0.04	0.05	0.14	
M1T111003A	24/11/2023 13:11	mm/s		5	10	0.11	0.10	0.05	0.06	
Monthly Meaningful Data										
<b>November</b>		mm/s		Minimum	5	10	0.08	0.02	0.03	0.03
		mm/s	Mean	5	10	0.13	0.09	0.12	0.32	
		mm/s	Maximum	5	10	0.34	0.44	0.53	1.50	
		mm/s	Median	5	10	0.11	0.06	0.08	0.22	

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]



## 6 | SEWAGE TREATMENT PLANT MONITORING DATA

Sewage treatment plant monitoring results are provided on a quarterly basis. Results will be provided in the December 2023 report.

## 7 | NOISE MONITORING DATA

**Date Sampled:** 15/11/2023

**Date Obtained:** 21/11/2023

Table 6 – Night  $L_{Aeq,15minute}$  and  $L_{A1,1minute}$  Generated by HVO Against EPL Criteria

Location	Start date and time	Wind		Stability class	Very enhancing? <sup>1</sup>	EPL limits, dB <sup>1</sup>		HVO levels, dB		Exceedances, dB	
		Speed m/s	Direction <sup>3</sup>			$L_{Aeq,15minute}$	$L_{A1,1min}$	$L_{Aeq,15minute}$ <sup>2</sup>	$L_{A1,1min}$	$L_{Aeq,15minute}$	$L_{A1,1min}$
Shearers Lane	15/11/2023 21:00	4.3	124	D	Yes	46	51	IA	IA	Nil	Nil
Knodlers Lane	15/11/2023 21:45	4.1	130	D	Yes	45	51	<20	<20	Nil	Nil
Maison Dieu	15/11/2023 21:20	4.4	126	D	Yes	44	51	<20	<20	Nil	Nil
Long Point (Dights Crossing)	15/11/2023 22:31	3.0	138	E	Yes	42	51	30	33	Nil	Nil
Kilburnie South	15/11/2023 23:29	4.2	135	E	Yes	44	51	33	37	Nil	Nil
Jerrys Plains East	15/11/2023 23:03	4.1	131	D	Yes	44	51	31	33	Nil	Nil
Jerrys Plains Village	15/11/2023 21:32	4.6	130	D	Yes	45	51	<30	<30	Nil	Nil
Jerrys Plains West	15/11/2023 21:09	4.4	126	D	Yes	45	51	<30	<30	Nil	Nil

Notes: 1. Noise limits are adjusted by +5 dB during 'very noise-enhancing meteorological conditions' in accordance with the NPfl.

2. Site-only  $L_{Aeq,15minute}$ , includes modifying factor penalties if applicable.

3. Degrees magnetic north, "-" indicates calm conditions.

**Number:** HVOOC-1797567310-4847

**Status:** Approved

**Effective:** 09/01/2024

Page 13 of 13

**Owner:** Superintendent - Environment and Community

**Version:** 1.0

**Review:** [Planned Review Date]

Uncontrolled when printed