

**HUNTER VALLEY**  
OPERATIONS

**MONTHLY  
ENVIRONMENTAL  
MONITORING REPORT  
JULY 2025**

**DOCUMENT NUMBER**

HVOOC-1797567310-5369

**STATUS**

Approved

**VERSION**

2.0

**EFFECTIVE**

04/05/2026

**REVIEW**

[Planned Review Date]

**OWNER**

Superintendent - Environment and Community



1 | Introduction ..... 4

2 | Air Quality..... 4

    2.1 | Meteorological Monitoring ..... 4

        2.1.1 | Rainfall ..... 4

        2.1.2 | Wind Speed and Direction ..... 5

    2.2 | Depositional Dust..... 7

    2.3 | Suspended Particles ..... 8

        2.3.1 | HVAS PM10 Results ..... 8

        2.3.2 | HVAS PM<sub>2.5</sub> Results ..... 10

        2.3.3 | TSP Results ..... 12

        2.3.4 | Real Time PM<sub>10</sub> Results ..... 13

        2.3.5 | Real Time Alarms for Air Quality ..... 15

3 | Water Quality ..... 15

    3.1 | Surface Water ..... 15

        3.1.1 | Surface Water Trigger Tracking ..... 17

    3.2 | Site Water Use ..... 17

    3.3 | HRSTS Discharge..... 17

    3.4 | Groundwater Monitoring Results ..... 17

        3.4.1 | Groundwater Trigger Tracking ..... 19

4 | Blasting..... 19

    4.1 | Blast Monitoring Results ..... 20

5 | Noise ..... 23

    5.1 | Attended Noise Monitoring Results ..... 23

    5.2 | Low Frequency Assessment ..... 26

    5.3 | Real Time Noise Monitoring ..... 27

6 | Operational Downtime ..... 29

7 | Rehabilitation ..... 30

8 | Complaints ..... 31


9 | Environmental Incidents ..... 33



Appendix A: Meteorological Data (HVO Corporate)..... 34

Table of Figures

Figure 1 - Rainfall Summary 2023 – 2025 .....4
Figure 2 – HVO Corporate Wind Rose for the Reporting Period .....5
Figure 3 – HVO Cheshunt Wind Rose for the Reporting Period .....5
Figure 4 – Air Quality Monitoring Location Plan.....6
Figure 5 – YTD Depositional Dust Results as at end of the Reporting Period.....7
Figure 6 – Individual PM10 Results for the Reporting Period .....8
Figure 7 – Year to Date Average PM10 as at end of the Reporting Period .....9
Figure 8 - Results for the Reporting Period..... 10
Figure 9 - Year to Date Average PM2.5 as at end of the Reporting Period ..... 11
Figure 10 - Year to Date Average Total Suspended Particulates as at end of the Reporting Period..... 12
Figure 11 – Real Time PM10 24hr for the Reporting Period ..... 13
Figure 12 – Real Time PM10 Annual Average for the Reporting Period ..... 14
Figure 13 – HVO Surface Water Monitoring Locations..... 16
Figure 14 - Groundwater Monitoring Locations at HVO..... 18
Figure 15 - Blast Monitoring Location Plan ..... 22
Figure 16 - Noise Monitoring Location Plan ..... 28
Figure 17 - Operational Downtime by Equipment Type for the Reporting Period ..... 29
Figure 18 - Rehabilitation YTD July 2025 ..... 30
Table 1 - Rainfall data for the reporting period .....4
Table 2 – Blasting Criteria ..... 19
Table 3 – Overpressure Blast Monitoring Results for the reporting period ..... 20
Table 4 – Ground Vibration Blast Monitoring Results for the reporting period..... 21
Table 5 - LAeq,15minute and 1minute HVO North Against Impact Assessment Criteria for the Reporting Period..... 24
Table 6 - LAeq,15minute and 1minute HVO South Against Impact Assessment Criteria for the Reporting Period..... 25
Table 7 - Modifying Factor Assessment HVO North for the Reporting Period ..... 26
Table 8 - Modifying Factor Assessment HVO South for the Reporting Period ..... 27
Table 9 - Complaints Summary 2025..... 31



# 1 | INTRODUCTION

This report has been compiled to provide a monthly summary of environmental monitoring results for Hunter Valley Operations (HVO). This report includes all monitoring data collected for the period 1 – 31 July 2025 (the 'Reporting Period').

# 2 | AIR QUALITY

## 2.1 | METEOROLOGICAL MONITORING

HVO maintains two meteorological stations: 'HVO Corporate' and 'Cheshunt' (refer to Figure 4).

### 2.1.1 | RAINFALL

Rainfall recorded at the HVO Corporate weather station during the period is summarised in Table 1. The 2023, 2024 and 2025 trends are shown in Figure 1.

Table 1 - Rainfall data for the reporting period

2025	Monthly Rainfall (mm)	Cumulative Rainfall (mm)
July	32.2	472.2




Figure 1 - Rainfall Summary 2023 – 2025



2.1.2 | WIND SPEED AND DIRECTION

Figure 2 and Figure 3 wind roses show wind speeds and directions during the reporting period at HVO Corporate and Cheshunt meteorological stations. South easterly winds were prevailing at the HVO Corporate weather station, with both South Easterly and North Westerly winds prevailing at the HVO Cheshunt weather station during the reporting period.




Figure 2 – HVO Corporate Wind Rose for the Reporting Period




Figure 3 – HVO Cheshunt Wind Rose for the Reporting Period




Figure 4 – Air Quality Monitoring Location Plan

Number: HVOOC-1797567310-5369  
Owner: Superintendent - Environment and Community

Status: Approved  
Version: 2.0

Effective: 04/05/2026  
Review: [Planned Review Date]



2.2 | DEPOSITIONAL DUST

HVO operates and maintains a network of depositional dust gauges situated on private and mine owned land surrounding HVO to monitor regional air quality.

Figure 5 displays year-to-date (YTD) insoluble solids results from depositional dust gauges during the reporting period compared against the annual impact assessment criteria. Any monthly results deemed to be contaminated (due to presence of bird droppings, insects, etc.) are not displayed. An assessment of HVO’s contribution against the long-term impact assessment criteria will be provided in the 2025 Annual Review.




Figure 5 – YTD Depositional Dust Results as at end of the Reporting Period

## 2.3 | SUSPENDED PARTICLES

Suspended particles are measured by a network of High-Volume Air Samplers (HVAS) measuring Total Suspended Particulates (TSP) and Particulate Matter <10µm (PM<sub>10</sub>). The Kilburnie South and Maison Dieu HVAS also monitor Particulate Matter <2.5µm (PM<sub>2.5</sub>). The location of these monitors is presented in Figure 4. Each HVAS runs for 24-hours on a six-day cycle.

### 2.3.1 | HVAS PM10 RESULTS

#### 2.3.1.1 | PERFORMANCE AGAINST SHORT TERM IMPACT ASSESSMENT CRITERIA

Figure 6 shows individual PM<sub>10</sub> results at each monitoring station against the short-term impact assessment criteria of 50µg/m<sup>3</sup> for the reporting period. All monitors were below the short-term impact assessment criteria during the reporting period.




Figure 6 – Individual PM<sub>10</sub> Results for the Reporting Period



2.3.1.2 | PERFORMANCE AGAINST LONG TERM IMPACT ASSESSMENT CRITERIA

Figure 7 shows the year-to-date rolling annual average PM<sub>10</sub> results. All monitoring sites annual averages reported at the end of the period were below both South and North Annual Average Criteria.

An assessment of HVO’s contribution against the long-term impact assessment criteria will be provided in the 2025 Annual Review.




Figure 7 – Year to Date Average PM<sub>10</sub> as at end of the Reporting Period



2.3.2 | HVAS PM<sub>2.5</sub> RESULTS

HVO monitors PM<sub>2.5</sub> at two HVAS locations, Kilburnie South and Maison Dieu.

2.3.2.1 | HVAS PM<sub>2.5</sub> RESULTS

Figure 8 shows individual PM<sub>2.5</sub> results at each monitoring station against the HVO South short-term impact assessment criteria of 25µg/m<sup>3</sup> for the reporting period. Both monitors were below the relevant short-term impact assessment criteria during the reporting period.

An assessment of HVO’s contribution against the long-term impact assessment criteria will be provided in the 2025 Annual Review.




Figure 8 - Results for the Reporting Period



2.3.2.2 | PERFORMANCE AGAINST LONG TERM IMPACT ASSESSMENT CRITERIA

Figure 9 shows the year-to-date annual average PM<sub>2.5</sub> results. During the reporting period, the annual average year to date results show Kilburnie South below the PM<sub>2.5</sub> annual rolling mean and Maison Dieu above the PM<sub>2.5</sub> annual rolling mean criteria of 8µg/m<sup>3</sup>.

An assessment of HVO’s contribution against the long-term impact assessment criteria will be provided in the 2025 Annual Review.




Figure 9 - Year to Date Average PM<sub>2.5</sub> as at end of the Reporting Period



2.3.3 | TSP RESULTS

2.3.3.1 | PERFORMANCE AGAINST LONG TERM IMPACT ASSESSMENT CRITERIA

Figure 10 shows the annual average TSP results compared against the long-term impact assessment criteria of 90µg/m³.

All monitors, except for Warkworth, were below the relevant long-term impact assessment criteria during the reporting period.

An assessment of HVO’s contribution against the long-term impact assessment criteria will be provided in the 2025 Annual Review.





Figure 10 - Year to Date Average Total Suspended Particulates as at end of the Reporting Period



2.3.4 | REAL TIME PM<sub>10</sub> RESULTS

HVO maintains a network of real time PM<sub>10</sub> monitors. The real time air quality monitoring stations continuously record information and transmit data to a central database, generating alarms when particulate matter levels exceed internal HVO trigger levels. Results from real time PM<sub>10</sub> monitoring are used as a reactive measure to guide mining operations to help achieve compliance with the relevant conditions of the project approval.

Error! Reference source not found. shows the daily 24-hour average PM<sub>10</sub> results from the real time monitoring sites. During the reporting period, daily results were below the 24-hr average criteria of 50µg/m<sup>3</sup>, with the exception of:

- Warkworth on 10 July
- Knodlers Lane on 11 July

The potential exceedances were investigated internally by HVO and found that the maximum calculated HVO contributions were below the relevant compliance limits.

All monitors reported data capture rates of more than 75% on the respective dates.

Figure 12 shows the annual rolling average PM<sub>10</sub> results from the real time monitoring sites. All monitoring results were below the annual average for the relevant long-term impact assessment criteria for North and South during the reporting period, with the exception of Warkworth, which was below North but above South Average Criteria.




Figure 11 – Real Time PM<sub>10</sub> 24hr for the Reporting Period





Figure 12 – Real Time PM<sub>10</sub> Annual Average for the Reporting Period



### 2.3.5 | REAL TIME ALARMS FOR AIR QUALITY

The real time monitoring system generated two hundred and two (202) automated air quality related alarms during the reporting period. Forty (40) alarms related to adverse weather conditions (wind or rain) and one hundred and sixty-two (162) alarms related to dust conditions.

## 3 | WATER QUALITY

HVO maintains a network of surface water and groundwater monitoring sites.

### 3.1 | SURFACE WATER

Surface watercourses are sampled on a quarterly sampling regime. Water quality is assessed through the parameters of pH, electrical conductivity (EC) and Total Suspended Solids (TSS). The location of surface water monitoring points across HVO is shown in Figure 13.

Results from monitoring on site dams, the Hunter River and other natural tributaries are provided on a quarterly basis. Results will be provided in the September 2025 Monthly Environmental Monitoring Report.




Figure 13 – HVO Surface Water Monitoring Locations



### 3.1.1 | SURFACE WATER TRIGGER TRACKING

Internal trigger limits have been developed to assess monitoring data on an on-going basis and to highlight potentially adverse surface water impacts. The process for evaluating monitoring results against the internal triggers and subsequent responses are outlined in the HVO Water Management Plan.

Surface water trigger tracking results are provided on a quarterly basis. Results will be reported in the September 2025 Monthly Environmental Monitoring Report.

### 3.2 | SITE WATER USE

HVO is permitted to extract water from the Hunter River under water allocation licenses issued by Water NSW.

HVO did not extract water from the Hunter River during the reporting period.

### 3.3 | HRSTS DISCHARGE

HVO participates in the Hunter River Salinity Trading Scheme (HRSTS), allowing discharge from licensed discharge points Dam 11N (to Farrell's Creek), Lake James (to the Hunter River) and Parnell's Dam (to Parnell's Creek). Discharges can only take place subject to HRSTS regulations.

No discharges were undertaken during this reporting period.

### 3.4 | GROUNDWATER MONITORING RESULTS

Groundwater monitoring is undertaken on a quarterly basis in accordance with the HVO Water Management Plan and Groundwater Monitoring Programme. The location of groundwater monitoring points across HVO are show in Figure 14.

Groundwater monitoring results are provided on a quarterly basis. Results will be provided in the September 2025 Monthly Environmental Monitoring Report.





Figure 14 - Groundwater Monitoring Locations at HVO



**3.4.1 | GROUNDWATER TRIGGER TRACKING**

Internal trigger limits have been developed to assess monitoring data on an on-going basis and to highlight potentially adverse groundwater impacts. The process for evaluating monitoring results against the internal triggers and subsequent responses is outlined in the HVO Water Management Plan.

Groundwater trigger tracking results are provided on a quarterly basis. Results will be provided in the September 2025 Monthly Environmental Monitoring Report.

**4 | BLASTING**

HVO maintains a network of blast monitoring units located at nearby privately owned residences and function as regulatory compliance monitors. The location of these monitors can be found in Figure 15. Blasting criteria for HVO are summarised in Table 2.

*Table 2 – Blasting Criteria*

<b>Airblast Overpressure (dBL)</b>	<b>Comments</b>
115	5% of the total number of blasts in a 12-month period
120	0% of blasts
<b>Ground Vibration (mm/s)</b>	<b>Comments</b>
5	5% of the total number of blasts in a 12-month period
10	0% of blasts



**4.1 | BLAST MONITORING RESULTS**

Twenty-four (24) blasts were initiated at HVO during the reporting period. Blast monitoring results for the period are shown in Table 3 and Table 4.

*Table 3 – Overpressure Blast Monitoring Results for the reporting period*

<b>Date and Time</b>	<b>Moses Crossing (dBL)</b>	<b>Jerrys Plains Village (dBL)</b>	<b>Maison Dieu (dBL)</b>	<b>Warkworth (dBL)</b>	<b>Knodlers Lane (dBL)</b>
1/07/2025 15:56	94.02	97.16	108.95	109.91	110.77
3/07/2025 13:07	101.06	99.51	102.59	106.67	99.55
7/07/2025 13:06	105.74	99.04	111.88	90.74	102.89
7/07/2025 14:54	100.40	100.89	104.39	112.50	109.16
8/07/2025 13:14	88.11	84.71	104.42	94.05	94.47
9/07/2025 13:03	94.75	88.88	90.71	92.30	91.09
12/07/2025 11:38	103.01	94.96	101.03	103.14	99.46
12/07/2025 14:25	94.64	85.50	89.91	101.40	92.01
12/07/2025 14:27	91.60	87.42	94.06	102.47	95.08
14/07/2025 13:10	100.51	99.25	103.90	105.75	102.31
14/07/2025 13:11	100.72	106.28	105.51	109.42	102.78
16/07/2025 13:11	89.23	86.94	90.53	92.85	100.74
18/07/2025 10:04	101.69	96.14	101.99	99.84	93.8
19/07/2025 15:16	97.20	89.09	92.15	98.34	91.62
22/07/2025 11:00	81.73	83.21	82.24	91.70	76.65
22/07/2025 13:22	100.68	97.40	97.18	97.67	95.05
23/07/2025 11:13	88.93	73.59	85.40	88.46	87.25
23/07/2025 13:12	89.01	87.55	92.81	93.57	87.98
25/07/2025 13:21	98.34	89.96	97.71	101.80	101.24
25/07/2025 13:23	98.91	98.14	96.96	104.18	97.53
26/07/2025 13:09	99.73	97.41	105.61	109.99	100.25
29/07/2025 11:40	94.61	87.59	106.37	112.18	103.59
29/07/2025 11:42	94.69	88.58	102.78	106.49	102.31
29/07/2025 13:16	90.05	96.69	102.49	100.12	103.82



*Table 4 – Ground Vibration Blast Monitoring Results for the reporting period*

<b>Date and Time</b>	<b>Moses Crossing (mm/s)</b>	<b>Jerrys Plains Village (mm/s)</b>	<b>Maison Dieu (mm/s)</b>	<b>Warkworth (mm/s)</b>	<b>Knodlers Lane (mm/s)</b>
1/07/2025 15:56	0.14	0.09	0.27	0.47	0.14
3/07/2025 13:07	0.09	0.10	0.13	0.37	0.04
7/07/2025 13:06	0.07	0.09	0.12	0.07	0.03
7/07/2025 14:54	0.09	0.08	0.19	0.39	0.12
8/07/2025 13:14	0.04	0.08	0.10	0.18	0.03
9/07/2025 13:03	0.16	0.23	0.16	0.76	0.04
12/07/2025 11:38	0.09	0.08	0.12	0.08	0.04
12/07/2025 14:25	0.11	0.11	0.11	0.13	0.03
12/07/2025 14:27	0.47	0.38	0.36	0.29	0.13
14/07/2025 13:10	0.10	0.12	0.22	0.46	0.16
14/07/2025 13:11	0.11	0.12	0.18	0.49	0.08
16/07/2025 13:11	0.31	0.37	0.30	0.16	0.09
18/07/2025 10:04	0.13	0.09	0.15	0.28	0.05
19/07/2025 15:16	0.11	0.10	0.13	0.23	0.05
22/07/2025 11:00	0.04	0.03	0.09	0.10	0.03
22/07/2025 13:22	0.14	0.11	0.30	0.12	0.06
23/07/2025 11:13	0.04	0.08	2.27	0.06	0.03
23/07/2025 13:12	0.35	0.24	0.29	0.30	0.13
25/07/2025 13:21	0.14	0.12	0.16	0.31	0.06
25/07/2025 13:23	0.14	0.10	0.11	0.42	0.04
26/07/2025 13:09	0.10	0.15	0.13	0.13	0.06
29/07/2025 11:40	0.09	0.10	0.41	0.43	0.27
29/07/2025 11:42	0.11	0.10	0.11	0.11	0.03
29/07/2025 13:16	0.26	0.23	0.28	0.24	0.12





Figure 15 - Blast Monitoring Location Plan



## 5 | NOISE


Routine attended noise monitoring occurs at defined locations around HVO, as described in the HVO Noise Monitoring Programme. The noise monitoring aims to quantify and describe the acoustic environment around the site and compare results with specified limits. The attended noise monitoring locations are displayed in Figure 16.

### 5.1 | ATTENDED NOISE MONITORING RESULTS

Attended monitoring was conducted at receiver locations around HVO during the night period of 22/23 July 2025.

Compliance with the HVO noise impact limits ensures compliance with the land acquisition criteria. Therefore, since no noise impact exceedances occurred for the reporting period the land acquisition assessment has not been presented. These will only be reported in instances of noise impact exceedances.

- Monitoring results are detailed in Table 5 and Table 6.



*Table 5 - LAeq,15minute and 1minute HVO North Against Impact Assessment Criteria for the Reporting Period*

Location	Start date and time	Wind		Stability class	Very enhancing? <sup>1</sup>	HVO North limits, dB <sup>1</sup>		HVO North levels, dB		Exceedances, dB	
		Speed m/s	Direction <sup>3</sup>			L <sub>Aeq,15minute</sub>	L <sub>A1,1min</sub>	L <sub>Aeq,15minute</sub> <sup>2</sup>	L <sub>A1,1min</sub>	L <sub>Aeq,15minute</sub>	L <sub>A1,1min</sub>
Shearers Lane	22/07/2025 22:00	0.8	172	D	Yes	35	46	IA	IA	Nil	Nil
Knodlers Lane	22/07/2025 22:43	0.6	293	F	Yes	35	46	IA	IA	Nil	Nil
Maison Dieu	22/07/2025 22:22	0.5	336	F	Yes	35	46	IA	IA	Nil	Nil
Long Point (Dights Crossing)	22/07/2025 23:14	0.3	68	F	Yes	35	46	IA	IA	Nil	Nil
Moses Crossing	22/07/2025 22:25	0.5	336	F	Yes	39	46	34	38	Nil	Nil
Jerrys Plains East	22/07/2025 22:51	0.6	293	F	Yes	39	46	35	38	Nil	Nil
Jerrys Plains Village	23/07/2025 0:07	0.1	86	F	Yes	40	46	33	38	Nil	Nil
Jerrys Plains West	23/07/2025 0:29	1	142	F	Yes	40	46	32	35	Nil	Nil

1. Noise limits are adjusted by +5 dB during 'very noise-enhancing meteorological conditions' in accordance with the NPfI.
2. Site-only LAeq,15minute, includes modifying factor penalties if applicable.
3. Degrees magnetic north, "-" indicates calm conditions.

Table 6 - LAeq,15minute and 1minute HVO South Against Impact Assessment Criteria for the Reporting Period

Location	Start date and time	Wind		Stability class	Very enhancing? <sup>1</sup>	HVO South limits, dB <sup>1</sup>		HVO South levels, dB		Exceedances, dB	
		Speed m/s	Direction <sup>3</sup>			L <sub>Aeq,15minute</sub>	L <sub>A1,1min</sub>	L <sub>Aeq,15minute</sub> <sup>2</sup>	L <sub>A1,1min</sub>	L <sub>Aeq,15minute</sub>	L <sub>A1,1min</sub>
Shearers Lane	22/07/2025 22:00	1.5	188	E	Yes	41	45	33	38	Nil	Nil
Knodlers Lane	22/07/2025 22:43	0.9	261	F	Yes	40	45	36	43	Nil	Nil
Maison Dieu	22/07/2025 22:22	1	212	D	Yes	39	45	31	34	Nil	Nil
Long Point (Dights Crossing)	22/07/2025 23:14	0.9	304	F	Yes	37	45	<25	26	Nil	Nil
Moses Crossing	22/07/2025 22:25	1	212	D	Yes	39	45	<20	<20	Nil	Nil
Jerrys Plains East	22/07/2025 22:51	0.9	261	F	Yes	38	45	IA	IA	Nil	Nil
Jerrys Plains Village	23/07/2025 0:07	0.9	311	F	Yes	35	45	IA	IA	Nil	Nil
Jerrys Plains West	23/07/2025 0:29	0.4	255	F	Yes	35	45	IA	IA	Nil	Nil
HVGC	22/07/2025 22:00	1.5	188	E	Yes	55	-	33	34	Nil	-

- Noise limits are adjusted by +5 dB during 'very noise-enhancing meteorological conditions' in accordance with the NPfl.
- Site-only LAeq,15minute, includes modifying factor penalties if applicable.
- Degrees magnetic north, "-" indicates calm conditions.
- NM = Not Measurable

**Number:** HVOOC-1797567310-5369

**Status:** Approved

**Effective:** 04/05/2026

Page 25 of 34

**Owner:** Superintendent - Environment and Community

**Version:** 2.0

**Review:** [Planned Review Date]

Uncontrolled when printed



**5.2 | LOW FREQUENCY ASSESSMENT**

In accordance with the requirements of the EPA’s Noise Policy for Industry (NPfI), the applicability of the low frequency modification penalty has been assessed. No penalties were applied for monitoring undertaken through the reporting period. The assessments for the low frequency noise are shown in Table 7 and Table 8.

*Table 7 - Modifying Factor Assessment HVO North for the Reporting Period*

Location	Start date and time	Measured HVO North L <sub>Aeq</sub> dB	Very enhancing? <sup>1</sup>	Intermittency modifying factor?	Tonality modifying factor?	Frequency of tonality	Low-frequency modifying factor? <sup>1,2</sup>	Exceedance of reference spectrum <sup>2,3</sup>	Total penalty dB <sup>2,3</sup>
Shearers Lane	22/07/2025 22:00	IA	Yes	No	No	N/A	No	N/A	Nil
Knodlers Lane	22/07/2025 22:43	IA	Yes	No	No	N/A	No	N/A	Nil
Maison Dieu	22/07/2025 22:22	IA	Yes	No	No	N/A	No	N/A	Nil
Long Point (Dights Crossing)	22/07/2025 23:14	IA	Yes	No	No	N/A	No	N/A	Nil
Moses Crossing	22/07/2025 22:25	34	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains East	22/07/2025 22:51	35	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains Village	23/07/2025 0:07	33	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains West	23/07/2025 00:29	32	Yes	No	No	N/A	No	N/A	Nil

1. Low-frequency modifying factors are not applicable during 'very noise-enhancing meteorological conditions' in accordance with the NPfI.

2. NA denotes 'not applicable'.

3. Bold results indicate that application of NPfI modifying factor(s) is required.



*Table 8 - Modifying Factor Assessment HVO South for the Reporting Period*

Location	Start date and time	Measured HVO South LAeq dB	Very enhancing? <sup>1</sup>	Intermittency modifying factor?	Tonality modifying factor?	Frequency of tonality	Low-frequency modifying factor? <sup>1,2</sup>	Exceedance of reference spectrum <sup>2,3</sup>	Total penalty dB <sup>2,3</sup>
Shearers Lane	22/07/2025 22:00	33	Yes	No	No	N/A	No	N/A	Nil
Knodlers Lane	22/07/2025 22:43	36	Yes	No	No	N/A	No	N/A	Nil
Maison Dieu	22/07/2025 22:22	31	Yes	No	No	N/A	No	N/A	Nil
Long Point (Dights Crossing)	22/07/2025 23:14	<25	Yes	No	No	N/A	No	N/A	Nil
Moses Crossing	22/07/2025 22:25	<20	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains East	22/07/2025 22:51	IA	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains Village	23/07/2025 0:07	IA	Yes	No	No	N/A	No	N/A	Nil
Jerrys Plains West	23/07/2025 0:29	IA	Yes	No	No	N/A	No	N/A	Nil
HVGC	22/07/2025 22:00	33	Yes	No	No	N/A	No	N/A	Nil

1. NA denotes 'not applicable'

2. NM denotes 'not measurable'

3. Bold results indicate that application of NPfI modifying factor/s is required

### 5.3 | REAL TIME NOISE MONITORING

HVO utilises a network of real-time directional noise monitors to manage noise impacts on a continuous basis, shown in Figure 16. Noise alarms are in place at five monitoring locations (Knodlers Lane, Maison Dieu, Jerrys Plains, Moses Crossing, and Long Point) which alert HVO staff to elevated noise levels that require investigation.

HVO investigates and responds to noise alarms with appropriate modification to operations. Changes in response to a noise alarm can include replacing equipment with alternative units, changing or relocating tasks, or shutting down equipment. It should be noted that this assessment does not compliment or conflict with attended noise monitoring detailed in Section 5.1 |. Real time monitoring data includes non-mine noise sources such as animals, road traffic and weather.




Figure 16 - Noise Monitoring Location Plan

Number: HVOOC-1797567310-5369  
Owner: Superintendent - Environment and Community

Status: Approved  
Version: 2.0

Effective: 04/05/2026  
Review: [Planned Review Date]

## 6 | OPERATIONAL DOWNTIME

Real time monitoring and inspections for environmental factors recorded the following hours of equipment downtime during the reporting period:

- Twenty-One point three (21.3) hours for dust, and
- Zero (0) hours for noise.

Operational downtime by equipment type is show in Figure 17. Note that these delays are instances where operations were completely stopped and does not include occasions where operations were changed/modified but not stopped (e.g. changed from exposed dump to in-pit dump).




Figure 17 - Operational Downtime by Equipment Type for the Reporting Period



## 7 | REHABILITATION

The following activities related to rehabilitation were completed during the reporting period:

- 1.94ha of land was reshaped;
- 1.79ha of land was released (became available for the application of topsoil);
- 0ha of land was topsoiled; and
- 0ha of land was rehabilitated.

Year to date progress is shown in Figure 18.




Figure 18 - Rehabilitation YTD July 2025

## 8 | COMPLAINTS

No community complaints were received during the reporting period. Details of these and other complaints received during 2025 are shown in Table 9.

*Table 9 - Complaints Summary 2025*

Complaint Number	Date	Time	Complainant ID	Nature of Complaint	Mode of Complaint	Brief Description and Response
No community complaints were received during January.						
No community complaints were received during February.						
1	25 March	3:40pm	1	Blast	Community Hotline	<ul style="list-style-type: none"> <li>A resident of Jerrys Plains called the Community Complaints Hotline at 3:40pm regarding observed blast fume and concerns for health impacts.</li> <li>A member of the HVO environment and community team communicated with the resident via telephone confirming that a blast had been fired in the HVO Cheshunt Pit at at 3:31pm. The team member provided feedback and information regarding the blast including mitigation measures and confirmation that the visible plume did not leave site boundaries.</li> <li>A subsequent phone call was received from NSW EPA at 9.17am 26 March 2025 regarding a complaint they received from a community member regarding the same blast. The EPA requested further information which HVO provided.</li> </ul>
No community complaints were received during April.						
1	6 May	8:20pm	1	Noise	Community Hotline	<ul style="list-style-type: none"> <li>A resident of Jerrys Plains called the Community Complaints Hotline at 8:20pm regarding noise. Noise results as well as meteorological data were checked by HVO mining supervisors prior to returning the resident's call.</li> <li>HVO West Pit OCE communicated with the resident via telephone at 9:18pm whereby the resident provided further</li> </ul>

**Number:** HVOOC-1797567310-5369

**Status:** Approved


**Effective:** 04/05/2026

**Page 31 of 34**

**Owner:** Superintendent - Environment and Community

**Version:** 2.0

**Review:** [Planned Review Date]



Complaint Number	Date	Time	Complainant ID	Nature of Complaint	Mode of Complaint	Brief Description and Response
						<p>feedback and information regarding the noise, including that the noise had since subsided.</p> <ul style="list-style-type: none"> <li>Noise monitoring results from the closest monitoring unit (Jerrys Plains ENC) prior to and at the time of the complaint were below the compliance limits.</li> </ul>

No community complaints were received during June.

No community complaints were received during July.



## 9 | ENVIRONMENTAL INCIDENTS

No reportable environmental incident occurred during this reporting period.



**APPENDIX A: METEOROLOGICAL DATA (HVO CORPORATE)**

Date	Air Temp Max (°C)	Air Temp Min (°C)	Relative Humidity (Max %)	Relative Humidity (Min %)	Solar Radiation Maximum (W/Sq. M)	Average Wind Direction (°)	Average Wind Speed (m/sec)	Rainfall (mm)
1/07/2025	13.9	7.8	92.9	57.1	195.7	265.0	5.1	15.4
2/07/2025	16.5	7.8	83.4	53.0	541.2	270.4	5.7	0.0
3/07/2025	15.5	8.1	76.09	55.6	837.0	282.9	5.4	0.0
4/07/2025	16.5	6.8	88.9	44.5	532.6	260.9	2.5	0.0
5/07/2025	15.3	4.0	94.2	58.1	678.9	206.1	0.8	0.0
6/07/2025	21.1	7.2	91.9	49.9	663.7	261.6	2.2	0.0
7/07/2025	16.0	8.3	71.09	44.1	577.4	275.2	4.5	0.0
8/07/2025	15.8	7.6	80.3	41.7	671.7	287.6	4.5	0.0
9/07/2025	19.7	8.8	66.76	33.7	550.7	278.9	3.6	0.0
10/07/2025	16.2	9.1	55.52	36.1	843.0	288.4	7.4	0.0
11/07/2025	16.2	6.9	68.11	43.2	609.2	292.6	5.0	0.0
12/07/2025	18.5	8.5	75.05	37.2	560.5	279.0	2.8	0.0
13/07/2025	17.2	5.1	81.1	28.5	783.2	286.2	4.3	0.0
14/07/2025	18.2	8.8	60.84	23.4	584.2	279.1	4.0	0.0
15/07/2025	12.8	6.1	78.96	47.8	271.0	276.5	3.4	0.0
16/07/2025	15.2	4.7	85.6	37.1	574.4	279.6	2.3	0.0
17/07/2025	15.4	3.1	84	36.0	683.9	256.9	1.9	0.0
18/07/2025	15.8	6.5	74.86	52.9	704.0	134.6	1.8	0.0
19/07/2025	17.7	5.5	87.4	38.8	569.2	245.1	1.1	0.0
20/07/2025	15.9	3.3	81.9	34.2	585.6	189.5	2.1	0.0
21/07/2025	17.5	4.3	91.9	56.9	581.2	161.3	1.5	0.0
22/07/2025	17.6	6.7	96.3	59.6	670.5	166.4	0.7	0.2
23/07/2025	17.4	8.0	94.9	45.1	835.0	235.0	2.5	4.2
24/07/2025	15.7	4.9	76.13	34.5	596.2	262.5	2.6	0.0
25/07/2025	14.7	1.7	88.5	39.8	656.5	179.0	1.8	0.0
26/07/2025	16.9	7.4	95	57.4	853.0	257.7	4.1	4.8
27/07/2025	15.4	10.0	75.78	48.0	879.0	289.6	6.5	0.0
28/07/2025	13.7	9.5	73.87	53.2	951.0	285.9	6.0	0.0
29/07/2025	15.8	9.8	66.81	36.9	998.0	276.6	3.5	0.0
30/07/2025	10.8	7.2	93.4	60.5	157.6	147.0	1.2	7.4
31/07/2025	13.8	8.0	91	54.5	542.8	135.7	2.8	0.2