

HUNTER VALLEY OPERATIONS

Hunter Valley Operations EPL Monitoring Data

Published 12 February 2019

FOR THE MONTH ENDING 31 January 2019



Name of Operation	Hunter Valley Operations
Environment Protection Licence	640
Licensee	HV Operations Pty Ltd
Premises	Hunter Valley Operations Lemington Road, Singleton NSW 2330 Australia
EPL Link	https://apps.epa.nsw.gov.au/prpoeoap/ViewPOEOLicence.aspx?DOCID=149755&SYSUID=1&LICID=640

1 INTRODUCTION

This report has been compiled to provide a summary of environmental monitoring results for Hunter Valley Operations in accordance with Environment Protection Licence 640. This report includes all monitoring data collected in accordance with the aforementioned Licence for the period 1 January – 31 January 2019.

Monitoring in this report includes:

- Air quality monitoring;
- Surface water monitoring including mine water discharge; and
- Blast monitoring.

Monitoring locations are shown in Figure 1.

2 AIR QUALITY

In accordance with the requirements of Condition M2.2 (EPL 640), Hunter Valley Operations maintains a network of five PM₁₀ monitors. The following monitoring locations (EPA Monitoring Points 13, 14, 15, 16 and 17) are listed on the licence for the purpose of monitoring:

- EPA Identification Number 13 – Howick
- EPA Identification Number 14 – HC1
- EPA Identification Number 15 – Wandewoi
- EPA Identification Number 16 – Knodlers
- EPA Identification Number 17 – Golden Highway

Results of Particulates (PM₁₀) monitoring (EPA Monitoring Points 13, 14, 15, 16 and 17) are shown in Table 1. Results reported represent the 24hr average PM₁₀, derived from 10 minute average PM₁₀ values for the period midnight to midnight, for each calendar date during the reporting period. The last sampling date was 31 January 2019; the data was obtained on the 1 February 2019.

TABLE 1: PARTICULATE MATTER <10µm MONITORING

Date	Unit of Measure	Monitoring Frequency & Capture	Monitoring Point				
			Howick	HC1	Wandewoi	Knodlers	Golden Highway
1/01/2019	µg/m³	Continuous	26.9	33.7	22.4	15.8	23.5
2/01/2019	µg/m³		62.1	44.4	50.7	23.5	35.9
3/01/2019	µg/m³		56.2	43.0	54.4	23.6	52.3
4/01/2019	µg/m³		43.4	46.6	31.7	21.7	40.0
5/01/2019	µg/m³		46.4	129.1	29.4	28.9	48.8
6/01/2019	µg/m³		14.7	15.2	4.7	7.6	18.9
7/01/2019	µg/m³		19.2	18.6	11.5	13.1	23.5
8/01/2019	µg/m³		34.1	41.5	26.6	22.0	41.0
9/01/2019	µg/m³		34.6	46.1	22.2	29.3	41.0
10/01/2019	µg/m³		30.2	32.9	25.4	16.4	24.1
11/01/2019	µg/m³		27.3	22.3	23.1	12.3	19.7
12/01/2019	µg/m³		23.8	13.1*	21.8	16.2	21.7
13/01/2019	µg/m³		45.7	#	37.8	21.4	32.7
14/01/2019	µg/m³		36.2	#	31.2	13.2	16.2
15/01/2019	µg/m³		34.3	#	32.6	23.2	34.5
16/01/2019	µg/m³		65.0	36.7	55.8	29.0	42.1
17/01/2019	µg/m³		57.3	39.1	52.4	23.1	34.9
18/01/2019	µg/m³		42.7	59.5	36.0	26.0	37.3
19/01/2019	µg/m³		43.5	83.5	46.6	45.0	75.3
20/01/2019	µg/m³		30.6	25.8	20.8	15.2	24.6
21/01/2019	µg/m³		20.7	15.6	13.2	9.7	13.5

22/01/2019	µg/m ³		48.2	45.4	29.3	15.2	29.5
23/01/2019	µg/m ³		36.7	58.4	25.7	25.1	39.0
24/01/2019	µg/m ³		39.1	31.7	28.1	18.2	37.0
25/01/2019	µg/m ³		37.4	44.9	35.8	20.9	36.5
26/01/2019	µg/m ³		50.5	89.0	39.9	27.0	43.1
27/01/2019	µg/m ³		51.1	74.4	44.8	32.3	63.3
28/01/2019	µg/m ³		39.7	32.3	30.6	8.0*	39.5
29/01/2019	µg/m ³		39.6	36.7	36.0	17.5	33.6
30/01/2019	µg/m ³		47.6	58.1	31.7	19.2	29.0
31/01/2019	µg/m ³		39.2	93.1	35.7	33.9	43.7
Monthly Meaningful Data							
December	µg/m³	Minimum*	14.7	2.5	4.7	7.6	13.5
December	µg/m³	Mean*	39.5	45.3	31.9	21.1	35.3
December	µg/m³	Maximum*	65.0	129.1	55.8	45.0	75.3
December	µg/m³	Median*	39.2	41.5	31.2	21.4	35.9

24 hour data unavailable due to equipment or communications issue causing one or more missing 10 minute values

*Data calculated with missing 10 minute values due to equipment or communication issue

3 SURFACE WATER

3.1 Mine Water Discharge Monitoring

HVO participates in the Hunter River Salinity Trading Scheme (HRSTS), and maintains six monitoring locations associated with this scheme (EPA Monitoring Points 3, 4, 5, 6, 7 and 8, Condition M2.3) as follows:

- EPA Identification Number 3 – Discharge Pipe from Dam 11N
- EPA Identification Number 4 – Discharge end of outlet pipe on Parnell's Dam
- EPA Identification Number 5 – At the discharge end of the alluvial lands discharge pipeline
- EPA Identification Number 6 – In Farrell's Creek within 100m, and upstream of the confluence of flow from POINT 3
- EPA Identification Number 7 – In Farrell's Creek within 100m, and downstream of the confluence of flow from POINT 3
- EPA Identification Number 8 – Outlet of discharge pipe from Lake James storage dam

The location of these sampling points can be viewed in Figure 1.

Hunter Valley Operations did not receive any discharge opportunities in the reporting period and no water was discharged. As such, no samples were collected at Monitoring Points 3, 4, 5, 6, 7 and 8 during the reporting period (shown in Table 2 below).

TABLE 2: MINE WATER DISCHARGE MONITORING

Discharge Point	Date	Pollutant	unit of measure	Licence Limits	No. of samples required by licence	No. of samples you collected and analysed
Dam 11N Discharge / EPL Point 3	N/A	Electrical Conductivity	microsiemens per centimetre	-	0	0
		pH	pH	6.5 - 9.5	0	0
		Total Suspended Solids	milligrams per litre	120	0	0
Parnell's Dam Discharge / EPL Point 4	N/A	Electrical Conductivity	microsiemens per centimetre	-	0	0
		pH	pH	6.5 - 9.5	0	0
		Total Suspended Solids	milligrams per litre	120	0	0
Alluvial Lands Discharge / EPL Point 5	N/A	Electrical Conductivity	microsiemens per centimetre	400	0	0
		pH	pH	-	0	0
		Total Suspended Solids	milligrams per litre	-	0	0
Farrell's Creek Upstream / EPL Point 6	N/A	Electrical Conductivity	microsiemens per centimetre	-	0	0
		pH	pH	-	0	0
		Total Suspended Solids	milligrams per litre	-	0	0
Farrell's Creek Downstream / EPL Point 7	N/A	Electrical Conductivity	microsiemens per centimetre	-	0	0
		pH	pH	-	0	0
		Total Suspended Solids	milligrams per litre	-	0	0
Lake James Discharge / EPL Point 8	N/A	Electrical Conductivity	microsiemens per centimetre	-	0	0
		pH	pH	6.5 - 9.5	0	0
		Total Suspended Solids	milligrams per litre	120	0	0

4 BLAST MONITORING

In accordance with the requirements of Condition M8.1, Hunter Valley Operations maintains a network of blast monitors to measure airblast overpressure and ground vibration for all blasts carried out at HVO. The following monitoring locations (EPA Monitoring Points 9, 10, 11 and 12) are listed on the Licence for the purpose of assessing compliance with the airblast overpressure and ground vibration criteria as follows:

- EPA Identification Number 9 – Jerrys Plains
- EPA Identification Number 18 – Moses Crossing
- EPA Identification Number 11 – Warkworth
- EPA Identification Number 12 – Maison Dieu

The location of these monitors can be found in Figure 1. The last date sampled was the 30th January 2019. The data was obtained on the 5th February 2019.

Blast monitoring results are detailed in Table 3 (Airblast Overpressure) and Table 4 (Ground Vibration).

TABLE 3: BLAST MONITORING (AIRBLAST OVERPRESSURE)

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth
P205P0602A	2/01/2019 10:30	dB(L)	All Blasts 100%	115	120	91.7	85.0	92.9	89.9
WN45LED01A	2/01/2019 13:03	dB(L)		115	120	92.3	99.7	97.2	90.0
WS45LEP02A	3/01/2019 13:08	dB(L)		115	120	99.2	108.5	99.3	103.4
P119R0801B	10/01/2019 12:59	dB(L)		115	120	99.6	109.0	108.2	97.6
P120R0601B	10/01/2019 13:03	dB(L)		115	120	100.7	105.9	100.9	95.5
P122M0802A	12/01/2019 14:05	dB(L)		115	120	96.6	111.4	105.9	95.0
WS45LEB02A	14/01/2019 13:20	dB(L)		115	120	91.0	98.7	86.3	92.0
P122M0802B	16/01/2019 13:27	dB(L)		115	120	98.1	89.8	89.8	93.1
P123P6P03A_ P122M0802B_ misfires	17/01/2019 13:02	dB(L)		115	120	90.7	86.3	90.5	92.4
WS40UL203A	18/01/2019 15:15	dB(L)		115	120	102.2	89.0	103.5	99.6
WN42ULD01A	18/01/2019 15:17	dB(L)		115	120	102.3	97.5	103.7	107.7
P119BAC02A	19/01/2019 13:07	dB(L)		115	120	101.5	100.6	107.0	100.6
P206M0106A	22/01/2019 15:25	dB(L)		115	120	95.0	92.1	98.5	100.0
P119BAC02B	23/01/2019 13:26	dB(L)		115	120	96.1	93.1	97.3	95.0
WS43LAP01A	25/01/2019 15:20	dB(L)		115	120	89.5	87.4	94.3	91.3
WS45LED01	25/01/2019 15:26	dB(L)		115	120	93.5	92.7	90.5	106.8

P123M0803A_ P123P6P03B	29/01/2019 13:33	dB(L)		115	120	92.8	88.9	95.6	98.8
P204R6P01A	30/01/2019 13:19	dB(L)		115	120	93.1	99.1	107.3	97.9
Monthly Meaningful Data									
Minimum	January	dB(L)		115	120	89.5	85.0	86.3	89.9
Mean	January	dB(L)		115	120	95.9	96.4	98.2	97.0
Maximum	January	dB(L)		115	120	102.3	111.4	108.2	107.7
Median	January	dB(L)		115	120	95.5	95.3	97.9	96.5

TABLE 4: BLAST MONITORING (GROUND VIBRATION)

Blast ID	Date and Time	Unit of Measure	Monitoring Frequency & Capture	EPL Limits		Monitoring Point			
				95% of Blasts	100% of Blasts	Moses Crossing	Jerrys Plains	Maison Dieu	Warkworth
P205P0602A	2/01/2019 10:30	mm/s	All Blasts 100%	5	10	0.03	0.03	0.13	0.12
WN45LED01A	2/01/2019 13:03	mm/s		5	10	0.10	0.18	0.07	0.11
WS45LEP02A	3/01/2019 13:08	mm/s		5	10	0.05	0.05	0.04	0.34
P119R0801B	10/01/2019 12:59	mm/s		5	10	0.15	0.14	0.44	0.50
P120R0601B	10/01/2019 13:03	mm/s		5	10	0.14	0.12	0.18	0.44
P122M0802A	12/01/2019 14:05	mm/s		5	10	0.12	0.06	0.13	0.29
WS45LEB02A	14/01/2019 13:20	mm/s		5	10	0.12	0.11	0.09	0.10
P122M0802B	16/01/2019 13:27	mm/s		5	10	0.06	0.05	0.13	0.18
P123P6P03A_ P122M0802B_ misfires	17/01/2019 13:02	mm/s		5	10	0.08	0.07	0.08	0.14
WS40UL203A	18/01/2019 15:15	mm/s		5	10	0.03	0.04	0.06	0.29
WN42ULD01A	18/01/2019 15:17	mm/s		5	10	0.42	0.45	0.25	0.18
P119BAC02A	19/01/2019 13:07	mm/s		5	10	0.11	0.07	0.23	0.31
P206M0106A	22/01/2019 15:25	mm/s		5	10	0.20	0.12	0.72	1.02
P119BAC02B	23/01/2019 13:26	mm/s		5	10	0.06	0.05	0.09	0.13
WS43LAP01A	25/01/2019 15:20	mm/s		5	10	0.11	0.15	0.19	0.14
WS45LED01	25/01/2019 15:26	mm/s		5	10	0.25	0.13	0.12	0.48

P123M0803A_ P123P6P03B	29/01/2019 13:33	mm/s		5	10	0.06	0.05	0.15	0.19
P204R6P01A	30/01/2019 13:19	mm/s		5	10	0.15	0.13	1.18	0.68
Monthly Meaningful Data									
Minimum	January	mm/s		5	10	0.03	0.03	0.04	0.10
Mean	January	mm/s		5	10	0.12	0.11	0.24	0.31
Maximum	January	mm/s		5	10	0.42	0.45	1.18	1.02
Median	January	mm/s		5	10	0.11	0.09	0.13	0.24



Figure 1 : Hunter Valley Operations Environmental Monitoring Locations